

NEW SUZUKI SX4

TECHNICAL SPECIFICATIONS - UK Market (Petrol engine)

		1.6L VVT GL Manual	1.6L VVT GLX Manual	1.6L VVT 4GRIP GLX Manual
ENGINE				
Engine type		M16A		
No. of cylinders / valves		4 cylinders / 16 valves		
Bore x stroke	mm	78.0 x 83.0		
Piston displacement	cc	1586		
Compression ratio		10.5:1		
Max output	kW/PS @ rpm	79/107 @ 5600		
Specific output		49.81 kW / 67.46 PS per 1000 cc		
Max torque	Nm/lb.ft @ rpm	145/107 @ 4000		
Specific torque		91.42 Nm / 67.46 lb.ft per 1000 cc		

TRANSMISSION		5-speed Manual Transmission		
Gear ratio	1 st	3.545		
	2 nd	1.904		
	3 rd	1.310		
	4 th	0.969		
	5 th	0.815		
	Reverse	3.250		
Final gear ratio		4.411		

DIMENSIONS				
Overall length		mm	4100	4140
Overall width		mm	1730	1755
Overall height		mm	1565 (1605 with roof rails)	
Wheelbase		mm	2500	
Track	Front	mm	1500	
	Rear	mm	1495	
Ground clearance			175	190

WEIGHTS				
Kerb weight		kg	1205	1265
Gross vehicle weight		kg	1650	1670
Towing capacity braked		kg	1200	1200
Towing capacity unbraked		kg	400	400

CAPACITIES				
Seating capacity		persons	5	
Luggage capacity	Max. volume (Manufacturer data)	litres	1045	
	Rear seatback tumble folded (VDA method)	litres	625	
	Rear seatback raised (VDA method)	litres	270	
Towing capacity unbraked		kg	50	

		1.6L VVT GL Manual	1.6L VVT GLX Manual	1.6L VVT 4GRIP GLX Manual
CHASSIS				
Brake type	front	Ventilated discs		
	rear	Leading and trailing drums		
Suspension	front	MacPherson strut		
	rear	Torsion beam		
Steering		Rack and pinion		
Turning circle	m	10.6		
Fuel tank capacity	litres	50		
Tyre size		205/60R16		

PERFORMANCE & ECONOMY				
Fuel consumption				
Urban cycle	mpg (litres / 100 km)	33.2 (8.51)	31.7 (8.91)	
Extra urban	mpg (litres / 100 km)	48.7 (5.80)	46.3 (6.10)	
Combined	mpg (litres / 100 km)	41.5 (6.81)	39.8 (7.10)	
CO ₂ emission	g/km	165	170	
Max speed	mph (km/h)	112 (180)	106 (170)	
Acceleration 0-62 mph (0-100 km/h)	secs	10.8	11.5	

		SX4 GL Model	SX4 GLX Models
EQUIPMENT - COMFORT			
Electric power steering		S	S
Electric windows		Front only	S
Electric door mirrors		S	Heated
Remote central door locking		S	S
Keyless start		X	S
4 speed airflow control		S	S
Air conditioning		S	Automatic
Pollen filter		S	S
Radio/CD player		S	S
Audio controls on steering wheel		S	S
Tinted glass		S	S
Red illuminated meters		S	S
Lights-on/key-in reminder		S	S
Driver's seat belt warning lamp & alarm		S	S
Outside temperature display		S	S
Digital clock		S	S
Rev. counter and trip meter		S	S
Cigarette lighter		S	S
Fuel consumption indicator		S	S
Fuel level warning indicator		S	S

INTERIOR		
Interior light		S
Boot light		S
Sun visor/vanity mirror (both sides)		S
Ticket holder (driver's side)		S
Glove box		S

Centre console with storage	S	S
Day/night rear view mirror	S	S
Cup holders x 3	S	S
Door pockets with bottle holders	S	S
Driver's foot rest (automatic model only)	X	S
Front seat height adjuster (driver's side)	S	S
Passenger front seat undertray	S	S
Front seat back pocket (passenger's side)	S	S
60/40 split rear seat backs	S	S
Detachable head restraints for all seats	S	S
Assist grips	S	S
Rear luggage shelf	S	S
Cigarette lighter and ashtray	S	S
Accessory socket	S	S

	SX4 GL Model	SX4 GLX Models
EQUIPMENT - EXTERIOR		
Halogen headlights	S	S
Front fog lamps	X	S
Alloy wheels	X	S
Body coloured bumpers, door mirrors & handles	S	S
Folding exterior door mirrors	S	S
2 speed variable intermittent windscreen wiper	S	S
Rear wash/wiper	S	S
Heated rear window	S	S
Roof rails	X	S
Wheel arch extensions	X	S
Side protection & side under protection mouldings	X	GLX/4Grip Model
Front & rear skid plates	X	GLX/4Grip Model
Towing eye	S	S
SAFETY & SECURITY		
Driver and front passenger airbags	S	S
Side and curtain airbags	S	S
ABS with EBD	S	S
3 point ELR seatbelts for all seats	S	S
Height adjustable front seatbelt anchorages	S	S
Front seatbelt pre-tensioners	S	S
Remote fuel lid opener	S	S
ISOFIX child seat restraint system	S	S
Child proof rear door locks	S	S
Immobiliser	S	S
High mounted stop lamp	S	S
Freewheeling key cylinders	S	S
Side impact protection beams	S	S
Deadlocks	S	S
Visible V.I.N	S	S

Source: Suzuki GB / www.motiontrends.com S = standard - X = not available.

[Back to the main article](#)